


1 2 3 4 5 6 7 8 9




| REV. | ECN NO | DESCRIPTION | REVISED | DATE      |
|------|--------|-------------|---------|-----------|
| A    |        | 新订图面        | HELLER  | 2016.6.11 |

**RoHS**

| CKT. | DM (mm) |       |      |
|------|---------|-------|------|
|      | A       | B     | C    |
| 2X2  | 2.00    | 6.00  | 1.00 |
| 2X3  | 4.00    | 8.00  | 3.00 |
| 2X4  | 6.00    | 10.00 | 3.00 |
| 2X5  | 8.00    | 12.00 |      |
| 2X6  | 10.00   | 14.00 |      |
| 2X7  | 12.00   | 16.00 |      |
| 2X8  | 14.00   | 18.00 |      |
| 2X9  | 16.00   | 20.00 |      |
| 2X10 | 18.00   | 22.00 |      |
| 2X11 | 20.00   | 24.00 |      |
| 2X12 | 22.00   | 26.00 |      |
| 2X13 | 24.00   | 28.00 |      |
| 2X14 | 26.00   | 30.00 |      |
| 2X15 | 28.00   | 32.00 |      |
| 2X16 | 30.00   | 34.00 |      |
| 2X17 | 32.00   | 36.00 |      |
| 2X18 | 34.00   | 38.00 |      |
| 2X19 | 36.00   | 40.00 |      |
| 2X20 | 38.00   | 42.00 |      |



Recommended P.C.Board Hole Layout



Specifications / 技术规格:

Current rating: 3A AC,DC(AWG#22)  
 额定电流: 3A AC, DC (AWG#22)

Voltage rating: 250V AC,DC  
 额定电压: 250V AC, DC

Insulation Resistance: 1000MΩ Min.  
 绝缘电阻: 最小1000MΩ

Dielectric Withstanding: 800V AC 1Min  
 耐电压: 800V AC 1分钟

Contact Resistance: 20mΩ Max.  
 接触电阻: 最大20mΩ

Operating Temperature: -25°C to +85°C  
 工作温度: -25°C 到 85°C

Materials / 材料:

Contact Material: Brass(Tin plated)  
 接触端子材料: 黄铜(镀锡)

Insulation Material: PA or PBT UL94V-0  
 绝缘塑胶材质: PA 或 PBT UL94V-0

**浙江快利电子有限公司**  
 ZheJiang KuaiLi Electronic Co., LTD.

| GENERAL TOLERANCE |              |
|-------------------|--------------|
| X.: ±3'           | X.: ±0.35    |
| .X: ±2'           | X.X: ±0.25   |
| .XX: ±1'          | X.XX: ±0.15  |
| .XXX: ±0.5'       | X.XXX: ±0.10 |

|           |     |       |            |
|-----------|-----|-------|------------|
| DESIGN:   | 瞿益远 | DATE: | 2016-06-11 |
| CHECKED:  | 张宁  | DATE: | 2016-06-11 |
| APPROVED: | 朱建华 | DATE: | 2016-06-11 |

|          |                   |
|----------|-------------------|
| DWG. NO. |                   |
| PART NO. | KL-PHC-2XNA-02-BE |

|        |          |
|--------|----------|
| TITLE. | PHC-2XNA |
|--------|----------|

|      |   |       |    |        |   |       |  |
|------|---|-------|----|--------|---|-------|--|
| REV. | A | UNIT. | mm | SCALE. | - | PROJ. |  |
|------|---|-------|----|--------|---|-------|--|

1 2 3 4 5 6 7 8 9