

REV.	ECN NO	DESCRIPTION	REVISED	DATE

F

2PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-2P-0001	/	/	3550 02 K31	/		
2	2.5HD-2P-0002	/	/	3550 02 K00	/		
3	2.5HD-2P-0003	/	/	/	/		
4	2.5HD-2P-0004	/	/	/	/		
5	2.5HD-2P-0005	/	/	/	/		
6	2.5HD-2P-0006	/	/	/	/		
7	2.5HD-2P-0007	/	/	/	/		
8							
9							
10							

D

C

B

A

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	2.5HD-NP-**** *

TITLE.	RAST 2.5 VERT HDR 2.5间距NP立式插座
--------	----------------------------------

REV.	A	UNIT.	mm	SCALE.	-	PAGE.	1/1	PROJ.	
------	---	-------	----	--------	---	-------	-----	-------	--

REV.	ECN NO	DESCRIPTION	REVISED	DATE

3PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-3P-0001	93070-0001	①1-1971817-3 ②1-1971837-3	①3500 03 K00 ②3550 03 K00	/		
2	2.5HD-3P-0002	93070-0002	①1971817-3 ②1971837-3	/	/		
3	2.5HD-3P-0003	93070-0003	①9-1971817-3 ②9-1971837-3	/	/		
4	2.5HD-3P-0004	93070-0004	①8-1971817-3 ②8-1971837-3	/	/		
5	2.5HD-3P-0005	93070-0005	①4-1971817-3 ②4-1971837-3	3550 03 K30	/		
6	2.5HD-2P-0006	93070-0006	①7-1971817-3 ②7-1971837-3	3500 03 K37	/		
7	2.5HD-2P-0007	93070-0007	①5-1971817-3 ②5-1971837-3	3500 03 K35	/		
8	2.5HD-2P-0008	93070-0008	/	/	/		
9	2.5HD-2P-0009	93070-0009	①6-1971817-3 ②6-1971837-3	3500 03 K39	/		
10	2.5HD-2P-0010	93070-0010	①3-1971817-3 ②3-1971837-3	①3500 03 K31 ②3550 03 K31	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X: ±2'	X.X: ±0.30
.XX: ±1'	X.XX: ±0.20
.XXX: ±0.5'	X.XXX: --

DESIGN: 徐民建	DATE: 2023.03.31
CHECKED: 王子林	DATE: 2023.03.31
APPROVED: 朱建华	DATE: 2023.03.31

DWG. NO.	PART NO. 2.5HD-NP-**** *
TITLE.	

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

1 2 3 4 5 6 7 8 9

REV.	ECN NO	DESCRIPTION	REVISED	DATE

3PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
11	2.5HD-3P-0017	/	①2-1971817-3 ②2-1971837-3	/	/		


 浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	2.5HD-NP-**** *
PART NO.	

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ. 
--------	----------	----------	-----------	---

1 2 3 4 5 6 7 8 9

REV.	ECN NO	DESCRIPTION	REVISED	DATE

4PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-4P-0501	93070-0501	①1-1971817-4 ②1-1971837-4	①3500 04 K00 ②3550 04 K00	/		
2	2.5HD-4P-0502	93070-0502	①4-1971817-4 ②4-1971837-4	3550 04 K30	/		
3	2.5HD-4P-0504	93070-0504	①5-1971817-4 ②5-1971837-4	/	/		
4	2.5HD-4P-0506	93070-0506	/	/	/		
5	2.5HD-4P-0507	93070-0507	/	/	/		
6	2.5HD-4P-0508	93070-0508	/	/	/		
7	2.5HD-4P-0509	93070-0509	①6-1971817-4 ②6-1971837-4	/	/		
8	2.5HD-4P-0510	93070-0510	①3-1971817-4 ②3-1971837-4	/	/		
9	2.5HD-4P-0513	93070-0513	/	3500 04 K36	/		
10	2.5HD-4P-0514	93070-0514	/	3550 04 K43	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31


DWG. NO.	2.5HD-NP-**** *
PART NO.	
TITLE.	

RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

REV.	ECN NO	DESCRIPTION	REVISED	DATE

4PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
11	2.5HD-4P-0515	93070-0515	①2-1971817-4 ②2-1971837-4	3550 04 K00	/		
12	2.5HD-4P-0519	93070-0519	/	/	/		
13	2.5HD-4P-0520	93070-0520	/	/	/		
14							
15							
16							
17							
18							
19							
20							


 浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	2.5HD-NP-**** *

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV.	UNIT.	SCALE.	PAGE.	PROJ.
A	mm	-	1/1	

REV.	ECN NO	DESCRIPTION	REVISED	DATE

5PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-5P-1001	93070-1001	①1-1971817-5 ②1-1971837-5	①3500 05 K00 ②3550 05 K00	/		
2	2.5HD-5P-1003	93070-1003	/	/	/		
3	2.5HD-5P-1004	93070-1004	/	/	/		
4	2.5HD-5P-1005	93070-1005	/	/	/		
5	2.5HD-5P-1006	93070-1006	/	/	/		
6	2.5HD-5P-1010	93070-1010	/	/	/		
7	2.5HD-5P-1011	93070-1011	/	/	/		
8	2.5HD-5P-1012	93070-1012	/	/	/		
9	2.5HD-5P-1013	93070-1013	/	/	/		
10	2.5HD-5P-1014	93070-1014	/	/	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	2.5HD-NP-**** *
PART NO.	

TITLE:
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

REV.	ECN NO	DESCRIPTION	REVISED	DATE

5PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
11	2.5HD-5P-1015	93070-1015	/	/	/		
12	2.5HD-5P-1019	/	/	/	/		
13	2.5HD-5P-1020	/	①2-1971817-5 ②2-1971837-5	3550 05 K30	/		
14	2.5HD-5P-1021	/	/	/	/		
15	2.5HD-5P-1022	/	/	/	/		
16	2.5HD-5P-1023	/	/	/	/		
17	2.5HD-5P-1024	/	/	3500 05 K36	/		
18	2.5HD-5P-1025	/	/	3500 05 K55	/		
19	2.5HD-5P-1026	/	①3-1971817-5 ②3-1971837-5	/	/		
20	2.5HD-5P-1027	/	①4-1971817-5 ②4-1971837-5	/	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X: ±2'	X.X: ±0.30
.XX: ±1'	X.XX: ±0.20
.XXX: ±0.5'	X.XXX: --

DESIGN: 徐民建	DATE: 2023.03.31
CHECKED: 王子林	DATE: 2023.03.31
APPROVED: 朱建华	DATE: 2023.03.31

DWG. NO.	PART NO. 2.5HD-NP-**** *
TITLE.	

TITLE:
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

1 2 3 4 5 6 7 8 9

REV.	ECN NO	DESCRIPTION	REVISED	DATE

5PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
21	2.5HD-5P-1028	/	①6-1971817-5 ②6-1971837-5	/	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	2.5HD-NP-**** *

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

1 2 3 4 5 6 7 8 9

REV.	ECN NO	DESCRIPTION	REVISED	DATE				
6PIN:	序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
	1	2.5HD-6P-1501	93070-1501	①1-1971817-6 ②1-1971837-6	①3500 06 K00 ②3550 06 K00	/		
	2	2.5HD-6P-1503	93070-1503	/	/	/		
	3	2.5HD-6P-1505	93070-1505	/	/	/		
	4	2.5HD-6P-1506	93070-1506	①4-1971817-6 ②4-1971837-6	3550 06 K30	/		
	5	2.5HD-6P-1508	93070-1508	/	/	/		
	6	2.5HD-6P-1509	93070-1509	①3-1971817-6 ②3-1971837-6	3500 06 K33	/		
	7	2.5HD-6P-1510	93070-1510	①2-1971817-6 ②2-1971837-6	/	/		
	8	2.5HD-6P-1511	93070-1511	/	/	/		
	9	2.5HD-6P-1513	93070-1513	/	/	/		
	10	2.5HD-6P-1514	93070-1514	/	/	/		

浙江快利电子有限公司 ZheJiang KuaiLi Electronic Co., LTD.	GENERAL TOLERANCE X.: ±3' X.: -- .X': ±2' X.X: ±0.30 .XX': ±1' X.XX: ±0.20 .XXX': ±0.5' X.XXX: --		DESIGN: 徐民建 DATE: 2023.03.31	DWG. NO.	TITLE. RAST 2.5 VERT HDR 2.5间距NP立式插座
			CHECKED: 王子林 DATE: 2023.03.31	PART NO.	
			APPROVED: 朱建华 DATE: 2023.03.31	2.5HD-NP-**** *	
REV. A UNIT. mm SCALE. - PAGE. 1/1 PROJ.					

REV.	ECN NO	DESCRIPTION	REVISED	DATE

6PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
11	2.5HD-6P-1015	93070-1515	/	/	/		
12	2.5HD-6P-1019	/	/	/	/		
13	2.5HD-6P-1020	/	/	/	/		
14	2.5HD-6P-1021	/	/	/	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	2.5HD-NP-**** *
PART NO.	

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

REV.	ECN NO	DESCRIPTION	REVISED	DATE

7PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-7P-2001	93070-2001	①1-1971817-7 ②1-1971837-7	①3500 07 K00 ②3550 07 K00	/		
2	2.5HD-7P-2002	93070-2002	/	/	/		
3	2.5HD-7P-2003	93070-2003	①2-1971817-7 ②2-1971837-7	/	/		
4	2.5HD-7P-2004	93070-2004	/	/	/		
5	2.5HD-7P-2005	93070-2005	/	/	/		
6	2.5HD-7P-2007	93070-2007	/	/	/		
7	2.5HD-7P-2010	93070-2010	①6-1971817-7 ②6-1971837-7	/	/		
8	2.5HD-7P-2011	93070-2011	/	/	/		
9	2.5HD-7P-2015	93070-2015	/	/	/		
10	2.5HD-7P-2016	/	/	/	/		

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X: ±2'	X.X: ±0.30
.XX: ±1'	X.XX: ±0.20
.XXX: ±0.5'	X.XXX: --

DESIGN: 徐民建	DATE: 2023.03.31
CHECKED: 王子林	DATE: 2023.03.31
APPROVED: 朱建华	DATE: 2023.03.31

DWG. NO.	PART NO. 2.5HD-NP-**** *
TITLE.	

TITLE:
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

REV.	ECN NO	DESCRIPTION	REVISED	DATE

7PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)																					
11	2.5HD-7P-2017	/	①3-1971817-7 ②3-1971837-7	/	/		<table border="1"> <tr><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>□</td><td>□</td><td>□</td><td>e</td><td>□</td><td>c</td><td>□</td></tr> </table>	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	□	□	□	e	□	c	□
7	6	5	4	3	2	1																						
⊕	⊕	⊕	⊕	⊕	⊕	⊕																						
□	□	□	e	□	c	□																						
12	2.5HD-7P-2018	/	①4-1971817-7 ②4-1971837-7	/	/		<table border="1"> <tr><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>h</td><td>□</td><td>□</td><td>e</td><td>d</td><td>c</td><td>□</td></tr> </table>	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	h	□	□	e	d	c	□
7	6	5	4	3	2	1																						
⊕	⊕	⊕	⊕	⊕	⊕	⊕																						
h	□	□	e	d	c	□																						
13	2.5HD-7P-2019	/	①5-1971817-7 ②5-1971837-7	/	/		<table border="1"> <tr><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>□</td><td>□</td><td>f</td><td>e</td><td>□</td><td>c</td><td>b</td></tr> </table>	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	□	□	f	e	□	c	b
7	6	5	4	3	2	1																						
⊕	⊕	⊕	⊕	⊕	⊕	⊕																						
□	□	f	e	□	c	b																						
14																												
15																												
16																												
17																												
18																												
19																												
20																												


 浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X: ±2'	X.X: ±0.30
.XX: ±1'	X.XX: ±0.20
.XXX: ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	2.5HD-NP-**** *

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ. 
--------	----------	----------	-----------	---

REV.	ECN NO	DESCRIPTION	REVISED	DATE				
8PIN:	序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
	1	2.5HD-8P-2501	93070-2501	①1-1971817-8 ②1-1971837-8	①3500 08 K00 ②3550 08 K00	/		
	2	2.5HD-8P-2502	93070-2502	①2-1971817-8 ②2-1971837-8	/	/		
	3	2.5HD-8P-2503	93070-2503	/	/	/		
	4	2.5HD-8P-2505	93070-2505	/	/	/		
	5	2.5HD-8P-2506	93070-2506	/	/	/		
	6	2.5HD-8P-2508	93070-2508	/	/	/		
	7	2.5HD-8P-2509	93070-2509	/	/	/		
	8	2.5HD-8P-2510	93070-2510	①3-1971817-8 ②3-1971837-8	/	/		
	9	2.5HD-8P-2511	93070-2511	/	/	/		
	10							

浙江快利电子有限公司 ZheJiang KuaiLi Electronic Co., LTD.	GENERAL TOLERANCE X.: ±3' X.: -- .X': ±2' X.X: ±0.30 .XX': ±1' X.XX: ±0.20 .XXX': ±0.5' X.XXX: --		DESIGN: 徐民建 DATE: 2023.03.31	DWG. NO.	TITLE. RAST 2.5 VERT HDR 2.5间距NP立式插座
			CHECKED: 王子林 DATE: 2023.03.31	PART NO.	
			APPROVED: 朱建华 DATE: 2023.03.31	2.5HD-NP-**** *	
REV. A UNIT. mm SCALE. - PAGE. 1/1 PROJ.					

REV.	ECN NO	DESCRIPTION	REVISED	DATE

9PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-9P-3001	93070-3001	①1-1971817-9 ②1-1971837-9	①3500 09 K00 ②3550 09 K00	/		
2	2.5HD-9P-3002	93070-3002	/	/	/		
3	2.5HD-9P-3003	93070-3003	/	/	/		
4	2.5HD-9P-3005	93070-3005	/	/	/		
5	2.5HD-9P-3006	93070-3006	/	/	/		
6	2.5HD-9P-3007	/	①4-1971817-9 ②4-1971837-9	/	/		
7	2.5HD-9P-3008	/	①2-1971817-9 ②2-1971837-9	/	/		
8	2.5HD-9P-3009	/	①3-1971817-9 ②3-1971837-9	/	/		
9							
10							

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --



DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	2.5HD-NP-**** *

TITLE.	RAST 2.5 VERT HDR 2.5间距NP立式插座
--------	----------------------------------

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

REV.	ECN NO	DESCRIPTION	REVISED	DATE																																			
10PIN:	序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)																															
	1	2.5HD-10P-3501	93070-3501	①1-1971817-0 ②1-1971837-0	①3500 10 K00 ②3550 10 K00	/		<table border="1"> <tr><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td></tr> </table>	10	9	8	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	□	□	□	□	□	□	□	□	□	□	
	10	9	8	7	6	5	4	3	2	1																													
	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕																													
	□	□	□	□	□	□	□	□	□	□																													
	2	2.5HD-10P-3503	93070-3503	/	/	/		<table border="1"> <tr><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>□</td><td>j</td><td>i</td><td>□</td><td>g</td><td>f</td><td>e</td><td>d</td><td>□</td><td>b</td><td>a</td></tr> </table>	10	9	8	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	□	j	i	□	g	f	e	d	□	b	a
	10	9	8	7	6	5	4	3	2	1																													
	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕																													
	□	j	i	□	g	f	e	d	□	b	a																												
	3	2.5HD-10P-3505	/	①2-1971817-0 ②2-1971837-0	/	/		<table border="1"> <tr><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>□</td><td>j</td><td>i</td><td>□</td><td>□</td><td>□</td><td>□</td><td>d</td><td>c</td><td>b</td><td>□</td></tr> </table>	10	9	8	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	□	j	i	□	□	□	□	d	c	b	□
10	9	8	7	6	5	4	3	2	1																														
⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕																														
□	j	i	□	□	□	□	d	c	b	□																													
4	2.5HD-10P-3506	/	①3-1971817-0 ②3-1971837-0	/	/		<table border="1"> <tr><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr> <tr><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td><td>⊕</td></tr> <tr><td>□</td><td>□</td><td>i</td><td>h</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td><td>□</td></tr> </table>	10	9	8	7	6	5	4	3	2	1	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	□	□	i	h	□	□	□	□	□	□		
10	9	8	7	6	5	4	3	2	1																														
⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕																														
□	□	i	h	□	□	□	□	□	□																														
5																																							
6																																							
7																																							
8																																							
9																																							
10																																							

 浙江快利电子有限公司 ZheJiang KuaiLi Electronic Co., LTD.	GENERAL TOLERANCE		DESIGN: 徐民建	DATE: 2023.03.31	DWG. NO.	TITLE: RAST 2.5 VERT HDR 2.5间距NP立式插座
	X.: ±3'	X.: --	CHECKED: 王子林	DATE: 2023.03.31	PART NO. 2.5HD-NP-**** *	
	.X': ±2'	X.X: ±0.30	APPROVED: 朱建华	DATE: 2023.03.31		
	.XX': ±1'	X.XX: ±0.20				
REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ. 		

REV.	ECN NO	DESCRIPTION	REVISED	DATE

11PIN:

序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)
1	2.5HD-11P-4001	93070-4001	①1-1971818-1 ②1-1971838-1	①3500 11 K00 ②3550 11 K00	/		
2	2.5HD-11P-4003	93070-4003	①2-1971818-1 ②2-1971838-1	/	/		
3							
4							
5							
6							
7							
8							
9							
10							

浙江快利电子有限公司
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --

DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	2.5HD-NP-**** *

TITLE.
RAST 2.5 VERT HDR
2.5间距NP立式插座

REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.
--------	----------	----------	-----------	-------

							REV.	ECN NO	DESCRIPTION	REVISED	DATE
F	12PIN:	序号	快利型号	Molex型号	TE型号	Lumberg型号	Stocko型号	备注	示意图(带字母为堵孔状态)		
		1	2.5HD-12P-4501	93070-4501	①1-1971818-2 ②1-1971838-2	①3500 12 K00 ②3550 12 K00	/				
E	13PIN:	2									
		3	2.5HD-13P-5001	93070-5001	①1-1971818-3 ②1-1971838-3	①3500 13 K00 ②3550 13 K00	/				
D	14PIN:	4									
		5	2.5HD-14P-5501	93070-5501	①1-1971818-4 ②1-1971838-4	①3500 14 K00 ②3550 14 K00	/				
C	15PIN:	6									
		7	2.5HD-15P-6001	93070-6001	①1-1971818-5 ②1-1971838-5	①3500 15 K00 ②3550 15 K00	/				
B		8	2.5HD-15P-6002	93070-6002	①3-1971818-5 ②3-1971838-5	/	/				
		9	2.5HD-15P-6003	93070-6003	①2-1971818-5 ②2-1971838-5	/	/				
A		10									

浙江快利电子有限公司 ZheJiang KuaiLi Electronic Co., LTD.	GENERAL TOLERANCE		DESIGN: 徐民建	DATE: 2023.03.31	DWG. NO.	TITLE: RAST 2.5 VERT HDR 2.5间距NP立式插座
	X.: ±3'	X.: --	CHECKED: 王子林	DATE: 2023.03.31	PART NO. 2.5HD-NP-**** *	
	.X': ±2"	X.X: ±0.30	APPROVED: 朱建华	DATE: 2023.03.31		
	.XX': ±1"	X.XX: ±0.20				
REV. A	UNIT. mm	SCALE. -	PAGE. 1/1	PROJ.		
		.XXX': ±0.5'	X.XXX: --			